



 sanderblinds

BROCHURE **BLINDS**

Every once in a while, a new technology, an old problem, and a big idea turn into an innovation.

Dean Kamen

EXTERIOR **BLINDS**

- One stop technical solution for your outdoor or semi-outdoor space
- Rain breaking ability, wind endurance, and heavy duty components
- Maximizing the utility of your open space while maintaining modern living





MANUAL



Exterior Roller Blinds


- Created to accommodate mild to moderate wind, while maintaining clean and wider view
- Equipped with high quality wire slings at both sides to guide the blinds and hold against wind force



2 years warranty for component

Manual Exterior Roller Blinds

Lighty System (for mild wind)




Available Colors




*For other colors, pre-order 1 month and consultation with our product consultant is needed.


Details




Head Rail




Lock any position




Cord Guiding



Chain Operated



Wall



Ceiling

Available Size

Max. Width	2.8 m
Max. Length	3 m
Max. Area	8 m ²


Notes :

- Recommended for fabric with openness factor (15%<)

Manual Exterior Roller Blinds

Heavy Duty System (for moderate wind)

Standard



Intermediate




Available Colors




*For other colors, pre-order 1 month
and consultation with our product consultant is needed


Details



Head Rail




Crank




Cord Guiding




Intermediate
Bracket




Joined Bottom Bar



Bottom Bar



Wall



Ceiling

Available Size

Standard

Max. Width	3 m
Max. Height	3 m
Max. Area	9 m ²

Intermediate

Max. Width	6 m
Max. Height	3 m
Max. Area	15 m ²

Notes :

- Intermediate Bracket for width > 3 m
- Can be apply for one intermediate only
- Available crank size : 1,5 m and 2 m
- Available crank color white only

MOTORISED



Exterior Roller Blinds

- Convenient and simple powered motor does all the heavily lifting for you, raising and lowering the blind.
- Total control with no more than the touch of a button on the sleek remote control.
- Equipped with high quality wire slings at both sides to guide the blinds and hold against wind force.



2 years warranty for component



5 years warranty for motor




Somfy - France

Motorised Exterior Roller Blinds

(for moderate wind)

Standard




Available Colors




*For other colors, pre-order 1 month and consultation with our product consultant is needed


Details




Motor Somfy
*Details on page 36




Bottom Bar



Joined Bottom Bar





Intermediate
Bracket




Cord Guiding

Intermediate



Ceiling



Wall

Available Size

Standard

Max. Width	3 m
Max. Height	4 m
Max. Area	12 m ²


Intermediate

Max. Width	6 m
Max. Height	4 m
Max. Area	24 m ²


Notes :

- Intermediate Bracket for width > 3 m
- For motorised exterior roller blinds, just could use 1 intermediate


Extra Features Motorised




Details





Wall



Ceiling



Cover L



Available Size (Solar Screen)


Max. Width	6 m
Max. Height	2,5 m
Max. Area	15 m ²

Available Colors



*For other colors,
pre-order 1 month
and consultation with our
product consultant is needed

Claw for width < 4,5m



Notes :

- Could be for insect screen
- Recommended for fabric screen exterior with openness factor (>10%)
- Recommended fabric : E860, S80, P400, AX15 fabric with larger openness factor (15% <)



Exterior Roman Blinds

- A perfect choice for Luxurious yet contemporary look.
- With a multitude of power and control options including convenient and easy-to-install.
- Suitable for heavy wind and weather area.
- With high quality shappers the blinds could hold wind load steadily.



2 years warranty for component



5 years warranty for motor




Somfy - France

Motorised Exterior Roman Blinds

(for stronger wind)

Single




Available Colors



*For other colors, pre-order 1 month and consultation with our product consultant is needed


Details




Motor Somfy
*Details on page 36




Bottom Bar




Gaps Between
Single Roman




Wall




Ceiling



Cord Guiding



Shaper




Closed Position


Available Size

Max. Width	4,5 m
Max. Height	6 m
Max. Area	27 m ²

Two Type Fabrics Application



Intermediate



Available Size

Max. Width	8 m
Max. Height	6 m
Max. Area	32m ²

Notes :

- Intermediate Bracket for width > 4,5 m
- There are other types of fabric besides the example picture above
- The gap between cord guiding to the edge of fabric

FABRICS

Interior Fabric

- Exquisite arrays of interior fabrics sourced from reputable, world-wide companies.
- Sandei Blinds provides various types of fabrics, ranging from decorative patterns to high specification fabrics, depending on the customer's necessities.



Sheer

Invite elegance and aesthetics Sheer into your room. Allowing light to filter in the room while blocking out damaging UV rays. Made from polyester, these Sheer will give any room a sophisticated designer look.




Solar Screen

Solar screen is a highly technical fabric that is mainly designed to assist in glare and heat control to reach maximum room comfort, while maintaining a clear outdoor view. Sandei has an openness factor available : 1 %, 3 %, 5 %, 10 % Also available solar screen fabric with metalized backing.



Dim Out

Light filtering permits some light, but are not open weaves like sheer or screen, this the view is limited to shapes and shadows. Light filtering fabrics allow light to softly filter into the room, and are ideal for areas where soft illumination is preferred.



Black Out

Blackout fabrics prevent all light from passing through the material. These fabrics are often combined with special side rail or zipper and other system components to ensure a complete light seal.

Please kindly contact our product consultant for our fabric catalogue

Our interior fabrics sourced from

COULISSE
SINCE 1992



Serge Ferrari



MERMET

Our interior fabrics certificated by



And other well-know world fabric companies.

Exterior Fabric

- Maximize comfort at your outdoor space.
- Specially design to endure strong wind, heavy rain.
- The fabrics will break rain into spray.
- One stop solution to your exterior needs.
- Upvc (plastic) from japan is also available for exterior roman high durability and the plastic wouldn't easily turn yellow.



Screen

High technical exterior screen with openness factor 1%, 15%, 25%.

Préconstraint Polyester

A durable Polyester fabric with patented Serge Ferrari technology, highly dirt repellent, and UV resistant, ideal for textile architecture and installations. Supported by Préconstraint technology allows a material to have unique characteristics in durability, dimensions, lightweight, anti-deformation, and has a long service life.

UPVC

UPVC is a robust material, mainly used in window construction due to its thermal efficiency and durability. The UPVC we use is made from Japan, with a transparent design made of sturdy plastic.

Acrylic Fabric

Acrylic fabric for awnings are made of woven, breathable fabric that allows air to circulate. Acrylic fabric work well in windy environments and dry quickly. Moreover, they are durable in harsh elements.

Please kindly contact our product consultant for our fabric catalogue

Our exterior fabrics sourced from



Serge Ferrari **Achilles**

And other well-know world wide fabric companies.

Our exterior fabrics certificated by



Accessories

Somfy, France



Transmitter 1 channel
Pure (Situo)



Transmitter 2 channel
Pure (Situo)



Transmitter 4 channel
Pure (Situo)




Transmitter 1 channel
Situo Variation RTS Pure



Transmitter 4 Channel
Situo Variation RTS Pure



Wall transmitter 1 Channel
Silver Shine



Wall transmitter 1 Channel
Black



Wall transmitter 1 Channel
Pure White



Dry Contact Transmitter



Inis Uno Switch



Inis Duo Switch



Telis 16 Chronis RTS Silver

Accessories

Nice, Italy

Nice



Portable Transmitter
1 channel (P.1)



Portable Transmitter
6 channel (P.6)



P.1 V with Slider Dimmer
- ERA IN EDGE 10/20



P.6 V with Slider Dimmer
- ERA IN EDGE 10/20



Wall Transmitter
1 channel



Wall Transmitter
6 channel



ERA P.View



Air RW Touchless Radio Trans-
mitter



AGIO AG 4 BWR 01
Portable Transmitter White



AGIO AG 4 BWR 01
Portable Transmitter Black

Curtain Track



- Sleek Design
- Convenience / Easy of operation
- Accessibility/Ease of operation
- Easy Maintenance
- Energy Efficiency



SOMFY CURTAIN TRACK MOTORS SELECTION CHART

Track Type	Motor range 35			Motor range 60			Motor range 60° tandem		
	3m	6m	10m	6m	10m	12m	6m	10m	15m
	35	35	35	60	60	55	100	100	100
	35	35	35	60	60	55	100	100	100
	35	25	20	45	45	35	100	80	80
	35	25	20	45	45	35	100	80	80
	35	15	-	35	8m 25	-	70	8m 56	-
	30	10	-	30	8m 20	-	70	8m 56	-

Curtain Track

GLYDEA ULTRA

- Available in RTS, DCT, WT
- Capacity available 35, 60 kg & 100 kg tandem
- Sound level: 30 dB (Silent Speed) & 44dB (Default Speed) using silent accessories
- Adjustable Speed & Mode Silent (20~7.5 cm/s)
- Touch Motion Feature for RTS & DCT
- Able to operate when there is no electricity
- Soft start & Stop
- Motor position can be reversed
- 5 years warranty for Motor




TUBE - NC50 N2

- Available in RTS & WT
- Available capacity for 50 Kg
- Touch Motion Feature for RTS
- Adjustable Limit for RTS
- Able to operate when there is no electricity
- Compatible with the accessories NC50 N2
- 5 years warranty for Motor




IRISMO PLUS

- Available in RTS, DCT, WT
- Capacity available 35 kg
- Sound level: 44 dB
- Nominal Speed: 15 cm/s
- Touch Motion Feature for RTS & DCT
- Adjustable Limit for RTS & DCT
- Able to operate when there is no electricity
- 5 years warranty for Motor



IRISMO PLUS WIREFREE

- Available Type RTS with capacity 35 kg
- Sound level: 44 dB
- Nominal Speed: 15 cm/s
- Touch Motion Feature for RTS & DCT
- Adjustable Limit
- Battery capacity: 2000 mAH
- Charger Connector: USB 2.0 Micro-B
- 2 years warranty for Battery & 5 years for Motor



OUR OTHER PRODUCTS LINE

Sandei Partition is one of our subsidiary which specializes in operable glass and sound reduce partitions.

Sandei consists of two main products lines:
Sandei Blinds and Sandei Partitions.

 **sandei**partitions



The science of today is the technology
of tomorrow.

Edward Teller



Social Media

 sandei_official



FIRST PRINT

www.sandeir.co.id